St Mary's College Anaphylaxis Procedures



1. Introduction

St Mary's College is a school which operates with the consent of the Catholic Archbishop of Melbourne and is owned, operated and governed by Melbourne Archdiocese Catholic Schools Ltd (MACS).

2. Purpose

This procedure ensures that, as far as practicable, a safe and supportive environment is provided where students at risk of anaphylaxis are provided with reasonable adjustments to participate in school programs and activities in compliance with Ministerial Order 706.

3. Scope

This procedure applies at St Mary's College.

This procedure applies to:

- staff, including volunteers and casual relief staff.
- all students who have been diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction, where the college has been notified of that diagnosis, or who may require emergency treatment for anaphylactic reaction.
- the Parent (a person who has parental responsibility for a child, including a biological parent or another person who has been granted parental responsibility by a court order. The term is also used to refer to carers where permanent care, foster care or kinship arrangements are in place) of students who have been diagnosed as at risk of anaphylaxis or who may require emergency treatment for anaphylactic reaction.

4. Communication with Parents

- 4.1. The Principal engages with the Parent of students who are at risk of anaphylaxis to develop risk minimisation strategies and management strategies. The Principal will also take reasonable steps to ensure each staff member has adequate knowledge of allergies, anaphylaxis, and the college's expectations in responding to anaphylactic reaction.
- 4.2. The Principal requires that the Parent provides up to date medical information and an updated Individual Action Plan (<u>ASCIA Action Plan for Anaphylaxis</u>) signed by the treating medical practitioner together with:
 - a recent photo of their child and
 - any medications and auto-injectors referenced in the plan and recommended for administration.
- 4.3. The Parent is requested to provide this information:
 - annually
 - prior to camps and excursions
 - if the child has an anaphylaxis reaction at school, and
 - if the child's medical condition changes since the information was provided.
- 4.4. The Principal's nominee is to engage with the Parent where updated documentation or medication is required in line with the college's communication plan.
- 4.5. Please note the <u>ASCIA Travel Plan for People at Risk of Anaphylaxis</u> requires completion by a registered medical practitioner for domestic or overseas travel.

5. Individual Anaphylaxis Management Plans (IAMP)

- 5.1. The Principal is responsible for ensuring that all students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergies and the potential for anaphylactic reaction have an Individual Anaphylaxis Management Plan (IAMP) developed in consultation with the student's Parent.
- 5.2. The school requires the IAMP to be in place as soon as practicable after the student is enrolled and where possible before their first day of school. If for any reason training and a briefing has not yet occurred, an interim management plan, developed in consultation with the Parent, will be put into place for a student who is diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction, and training must occur as soon as possible thereafter. The IAMP will comply with Ministerial Order 706 and record:
 - student allergies
 - locally relevant risk minimisation and prevention strategies
 - names of people responsible for implementing risk minimisation and prevention strategies
 - storage of medication
 - student emergency contact details
 - student ASCIA Action Plans.
- 5.3. The student's IAMP will be reviewed by the Principal or nominated staff member, in consultation with the student's Parent, in all the following circumstances:
 - annually
 - if the student's medical condition changes as it relates to allergy and the potential for anaphylactic reaction.
 - as soon as practicable after the student has an anaphylactic reaction at school.
 - when the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the college (e.g. class parties, elective subjects, cultural days, fetes, incursions).

Refer to the Individual Anaphylaxis Management Plan Template

6. Location of Individual Anaphylaxis Management Plans and ASCIA Action Plans

- 6.1. The College Nurse maintains an up-to-date register of students at risk of anaphylactic reaction as nominated by the Principal.
- 6.2. The College Nurse communicates to staff the details of the location of student Individual Anaphylaxis Management Plans and ASCIA Action Plans within the school, during excursions, camps and special events conducted, organised or attended by the school. Please note the <u>ASCIA Travel Plan for People at Risk of Anaphylaxis</u> requires completion by a registered medical practitioner for domestic or overseas travel.
- 6.3. Individual Anaphylaxis Action Plans and Autoinjectors are stored at the Health Centre in a designated cupboard with easy access to staff.
- 6.4. Individual Anaphylaxis Action Plans and General use Autoinjectors can be located at the 14 First Aid sites around the College and in all 7 Yard Duty bags.
- 6.5. Procedures for camps, excursions and special activities:
 - The College Nurse/Designated First Aider in charge of excursion will complete the
 Off-site Risk Management Checklist for Schools <u>Anaphylaxis Risk Minimisation</u>
 <u>Strategies for Schools</u>
 - The College Nurse/Designated First Aider in charge of excursion will review and pack as per the Offsite Activity summary & attendance, entered into SIMON.
 - The Activity List highlights those students with Anaphylaxis, Allergies and other Medical conditions.

7. Risk minimisation and prevention strategies

Refer to Risk Minimisation Strategies for MACS schools:

The Principal ensures that risk minimisation and prevention strategies are in place for all relevant inschool and out-of-school settings which include (but are not limited to) the following:

- during classroom activities (including class rotations, specialist and elective classes)
- between classes and other breaks
- in canteens
- during recess and lunchtimes
- before and after school where supervision is provided (excluding OSHC)
- special events including incursions, sports, cultural days, fetes or class parties, excursions and camps.

Our college does not ban certain types of foods (e.g., nuts) as it is not practicable to do so and is not a strategy recommended by the Department of Education (DE) or the Royal Children's Hospital as it can create complacency amongst staff and students, and it cannot eliminate the presence of all allergens.

However, the college avoids the use of nut-based products in all college activities, requests that the Parent does not send those items to school if possible and the college reinforces the rules about not sharing and not eating foods provided from home.

The Principal will ensure that the canteen provider and its employees eliminate or reduce the likelihood of such allergens, can demonstrate satisfactory training in the area of food allergy and anaphylaxis and its implications for food-handling practices.

The Principal or College Nurse regularly reviews the risk minimisation strategies outlined in Anaphylaxis Risk Minimisation strategies for our schools considering information provided by the Parent related to the risk of anaphylaxis.

Refer to Anaphylaxis Risk Minimisation Strategies for Schools

The Principal is responsible for annually completing the Annual Risk Management Checklist for Schools to ensure that compliance with Ministerial Order 706 is maintained.

Refer to Annual Anaphylaxis Risk Management Checklist for Schools

8. Register of students at risk of anaphylactic reactions

The Principal nominates the College Nurse to maintain an up-to-date register of students at risk of anaphylactic reaction. This information is to be shared with all staff and accessible to all staff in an emergency.

The register is located at all 14 First aid sites within the College and on SIMON Knowledge bank/Medical information tile/Anaphylaxis. A list of Anaphylactic students is also attached to all 7 yard duty bags and every first aid kit for offsite events.

The register includes the Names of the applicable students, a current Photo, the Allergen, the student's Year level and the type of Autoinjector on the student's ASCIA plan.

9. Location, storage and accessibility of autoinjectors

It is the responsibility of the Principal to purchase auto-injectors for the school for general use and to ensure they are replaced at time of use or expiry; whichever is first. (Expiry date period is usually within 12–18 months). General use auto-injectors are used as a back-up to auto-injectors that are provided for individual students by the Parent in case there is a need for an auto-injector for another student who has not previously been diagnosed at risk of anaphylaxis.

Schools should consider the following when identifying the minimum autoinjectors required, considering:

- the number of students enrolled at the school who have been diagnosed as being at risk of anaphylaxis
- the accessibility of autoinjectors (and the type) that have been provided by the Parent
- the number of locations at the school, including in the school yard
- the number and types of excursions, camps and special events conducted, organised or attended by the school
- the expiry date period of autoinjectors brands. usually expire within 12–18 months

Schools should consider the type of autoinjector, considering:

- the available brands in Australia (EpiPen®, EpiPen Jr®, Anapen 500®, Anapen 300® and Anapen Jr®)- Refer to this procedure for further information
- the types used for broad use in emergency situations
- brands are widely accessible and do not require a prescription.

St Mary's College provides EpiPen®, auto-injector to purchase for general use.

The auto-injectors are stored at all 14 First aid sites and within the 7 Yard duty bags. Adrenaline autoinjector devices are stored in a cool dark place at room temperature, which they define as between 15 and 25 degrees Celsius.

The College Nurse is responsible for informing college staff of the location for use in the event of an emergency.

10. When to use an auto-injector for general use

The Principal ensures that auto-injectors for general use will be used under the following circumstances:

- a student's prescribed auto-injector does not work, is misplaced, misfires, has accidentally been discharged, is out of date or has already been used
- a student previously diagnosed with a mild or moderate allergy who was not prescribed an adrenaline injector has their first episode of anaphylaxis
- when instructed by a medical officer after calling 000
- first reaction to be treated with adrenaline before calling.

Note: if in doubt, give student auto-injector as per ASCIA Action Plans. Please review <u>ASCIA First</u> <u>Aid Plan for Anaphylaxis (ORANGE)</u> and <u>ASCIA Adrenaline (Epinephrine) Injectors for General</u> <u>Use</u> for further information.

11. Emergency response to anaphylactic reaction

In an emergency anaphylaxis situation, the student's ASCIA Action Plan, the school's general first aid procedures, Danger \rightarrow Response \rightarrow Send for Help \rightarrow Airway \rightarrow Breathing \rightarrow CPR \rightarrow Defibrillation (DRSABCD), the emergency response procedures in this policy and <u>ASCIA First Aid</u> <u>Plan for Anaphylaxis</u> must be followed.

The Principal must ensure that when a student at risk of an anaphylactic reaction is under the care or supervision of the school outside normal class activities, such as in the school yard, on camps or excursions or at special events conducted, organised or attended by the school, there are sufficient staff present who have been trained in accordance with Ministerial Order 706.

All staff are to be familiar with the location, storage and accessibility of auto-injectors in the college, including those for general use.

The Principal must determine how appropriate communication with school staff, students and the Parent is to occur in the event of an emergency about anaphylaxis.

Copies of the <u>ASCIA First Aid Plan for Anaphylaxis</u> and emergency procedures are prominently displayed in the relevant places in the school: All 14 First Aid sites have these posted or in designated prominently placed, First Aid binders, in areas accessed by members of the public in addition to students.

Refer to Emergency Response to Anaphyactic Reaction

12. Staff training

In compliance with Ministerial Order 706, it is recommended that all Victorian school staff undertake one of two accredited training options.

The Principal requires all staff to participate in training to manage an anaphylaxis incident. The training should take place as soon as practicable after a student at risk of anaphylaxis enrols and, where possible, before the student's first day at school.

Staff undertake training to manage an anaphylaxis incident if they:

- conduct classes attended by students with a medical condition related to allergy and the potential for anaphylactic reaction
- are specifically identified and requested to do so by the Principal based on the Principal's assessment of the risk of anaphylactic reaction occurring while a student is under that staff member's care, authority or supervision.

Our college considers, where appropriate, whether casual relief teachers and volunteers should also undertake training.

Our college staff are to:

- successfully complete an approved anaphylaxis management training course in compliance with Ministerial Order 706
- participate in the school's twice yearly briefings conducted by the school's anaphylaxis supervisor or another person nominated by the Principal, who has successfully completed an approved anaphylaxis management training program in the past two years.

A range of training programs are available, and the Principal determines an appropriate anaphylaxis training strategy and implements this for staff. The Principal ensures that staff are adequately trained and that enough staff are trained in the management of anaphylaxis noting that this may change from time to time dependent on the number of students with IAMP's.

All college staff will complete the online *ASCIA Anaphylaxis e-training for Victorian Schools* and have their competency in using an auto-injector tested by the school Anaphylaxis Supervisor in person within 30 days of completing the course. Staff are required to complete the ACSIA online training every two years.

At the end of the online training course, participants who have passed the assessment module are issued a certificate which needs to be signed by the college anaphylaxis supervisor to indicate that the participant has demonstrated their competency in using an adrenaline autoinjector device.

College staff who complete the online training course are required to repeat that training and the adrenaline auto-injector competency assessment every two years.

The college Anaphylaxis Supervisor will have completed 22579VIC Course in Verifying the Correct Use of Adrenaline Injector Devices – at no cost for Victorian Catholic schools at the <u>Hero HQ</u> <u>School Booking Portal</u> or email Hero HQ for more information: schools@herohq.com. Training in this course is current for three years.

Anaphylaxis Supervisors

Anaphylaxis supervisors play a key role in undertaking competency checks on all staff who have successfully completed the ASCIA online training course. To qualify as a school anaphylaxis

supervisor, the nominated staff members need to complete an accredited short course that teaches them how to conduct a competency check on those who have completed the online training course e.g., 22579VIC Course in Verifying the Correct Use of Adrenaline Injector Devices.

The Principal is to identify two staff per school or for each campus to become school anaphylaxis supervisors.

The school's anaphylaxis supervisors are the College Nurses

On 1 September 2021, the Anapen adrenaline (epinephrine) auto-injector was introduced into Australia for the treatment of anaphylaxis. Schools will need to ensure relevant staff are trained to use them.

Anaphylaxis supervisors should participate in the Anapen workshop if their school has an enrolled student with an <u>ASCIA Action Plan for Anaphylaxis Red Anapen</u>.

Twice yearly staff briefing

The Principal ensures that twice yearly anaphylaxis management briefings are conducted, with one briefing held at the start of the year. The briefing is to be conducted by the college anaphylaxis supervisor or another staff member who has successfully completed an Anaphylaxis Management Course in the previous two years. The school use the Anaphylaxis Management Briefing Template provided by DE for use in Victorian schools. A facilitator guide and presentation for briefings created by DE is available in the resources section of the procedures.

The briefing includes information about the following:

- the school's legal requirements as outlined in Ministerial Order 706
- the school's anaphylaxis management policy
- causes, signs and symptoms of anaphylaxis and its treatment
- names and pictures of students at risk of anaphylaxis, details of their year level, allergens, medical condition and risk management plans including location of their medication
- relevant anaphylaxis training
- ASCIA Action Plan for Anaphylaxis and how to use an autoinjector, including practising with a trainer autoinjector
- the school's general first aid and emergency responses
- location of and access to auto-injectors that have been provided by the Parent or purchased by the school for general use.

All college staff should be briefed on a regular basis about anaphylaxis and the college's anaphylaxis management policy.

The college Nurse will ensure that the school staff are adequately trained by facilitating the completion of online training & practical competency, providing formal staff briefings as staff availability and time permits, providing individual staff member with briefings as required, ensuring a current Power point presentation, containing all relevant information as per policy, is available to staff ongoing, maintaining Anaphylaxis first aid plans and college response information are current and posted in staff areas, facilitate availability of training autoinjectors for staff to practice and facilitate drills as required.

Training records and certificates are kept in:

L:\HEALTH CENTRE\Staff\Education\Training\Anaphylaxis ASCIA Certificates & Observation Checklist

13. Anaphylaxis communication plan

The Principal is responsible for ensuring that a communication plan is developed to provide information to all school staff, students and their Parent about anaphylaxis and the college's anaphylaxis management policy.

LINK Coms policy & make a note related docs on website.

Raising staff awareness:

- ✓ All staff have access to SIMON, which provides current student Medical profiles, Medical alerts, ASCIA action plans, IAMP's and applicable medical information, education material and education links for further information as required.
- ✓ All casual replacement teachers, specialist teachers and relevant volunteers are provided with information as part of the induction, in the staff induction manual and information pertinent to their engagement or role and the students they will supervise.
- ✓ Additional staff meetings/training sessions are scheduled regularly to update staff on changes in the policy, Medical Management Plans (MMP) and the students they relates to, noting where the MMP's, Student Health Support Plans (SHSP) and Medications are located and additional resources and information on student's health conditions.
- ✓ The Emergency Response to Anaphylaxis plan is posted at all First Aid sites around the college.
- ✓ Student ASCIA Anaphylaxis plans are posted in staff areas, placed in designated folders in student/public areas, attached to all yard duty bags and on fixed and mobile first aid kits.
- ✓ College Nurses are available one on one education, debriefing, instruction and support daily in school hours.

Raising student awareness:

- ✓ Use of fact sheets.
- ✓ Promoting and posting Anaphylaxis information/messaging.
- ✓ Encourage Peers support
- Provide health education in classroom: for example, hand hygiene, cough etiquette, avoiding bees/garden risks, no sharing policy, allergies, food preparation risk and Life support.
- Newsletter articles.

Raising school community awareness:

- ✓ Develop open, cooperative relationships with parents/guardians/carers.
- Enrollment interviews include advice about the requirements to provide relevant medical information and diagnoses.
- ✓ Parent/ cares initiate their child's Medical profile in SIMON on enrollment and are prompted annually at the beginning of the year and then regularly to keep up to date.
- Prior to all excursions and camps, parents/carers of students will be asked to update advice related to health conditions.
- ✓ Parents/carers of students with existing MMP's and SHSP's are provided with PSG and/or Parent Teacher meetings and Year level briefings with applicable staff to discuss any health care needs, updates and changes
- ✓ Regular information is provided via the college newsletter and website, Information nights, assemblies and social media applications.
- ✓ Notices will be placed in the college newsletter advising modes of communication with the College.
- ✓ Communication plan/policy is uploaded to the College website.

This communication plan includes strategies for advising college staff, students and their Parent about how to respond to an anaphylaxis reaction of a student in various environments:

- during normal school activities, including in a classroom, in the school yard, in all school buildings and sites including gymnasiums and halls
- during off-site or out of school activities, including on excursions, school camps and at special events conducted, organised or attended by the school.

The Communication Plan includes procedures to inform volunteers and casual relief staff of students who are at risk of anaphylaxis and of their role in responding to an anaphylactic reaction experienced by a student in their care.

The Principal and their nominee work with the Parent to support the student's needs. The Principal develops a communication process for when new or updated medical documentation and/or medication is required as part of the annual or triggered reviews. The school staff engaged in this process are to make communication accessible and culturally appropriate.

Process includes:

Initial Notification

- At the start of each school year, upon enrolment and/or when a plan is due to expire, the school communicates to the Parent informing them of the need to update their child's medical management and/or anaphylaxis action plans within a set timeframe.
- Schools can provide the Medical Management plan, Medication authorization form templates and relevant Parent handouts to explain what documentation the school needs.

Follow-Up Communication

- The College Nurses to send reminders via email, phone calls, or school newsletters as the deadline approaches.
- For critical updates, consider direct phone calls or meetings with the Parent to discuss the importance of the information. For a Parent seeking guidance around obtaining documentation, encourage them to contact the Anaphylaxis advisory line on **1300 725** 911 or 9345 4235 or email anaphylaxisadviceline@rch.org.au
- Escalate if updated information/medication is not obtained.
- Send a second reminder via the preferred means of communication (e.g. email, school app, letter) to clarify the required medical information. School staff are to make communication accessible and culturally appropriate.
- **Phone Call**: Make a follow-up phone call to the Parent who has not responded. Highlight the potential risks to their child's health and safety if the information is not updated.
- **In-Person Meeting**: If there is still no response, schedule an in-person meeting with the Parent to underscore the importance of the update and to provide additional support or clarification if needed.
- Schools are to inform the Parent of any impact on child's safe participation in school activities
 without updated medical plans and medication, and work to develop a plan for updating
 information.
- For further support on seeking required updated information and/or medication, schools can contact their Senior Manager, School Leadership.

Ongoing Communication

• Schedule periodic check-ins with the Parent prior to potential review points to ensure the medical information remains current and encourage the Parent to inform the school of any changes in their child's health status throughout the year.

The Principal ensures that the school staff are adequately trained by completing an approved training course [select option in place]:

- ASCIA e-training every two years together with associated competency checks assessed by suitably trained Anaphylaxis Supervisor who has completed 22579VIC Course in Verifying the Correct Use of Adrenaline Injector Devices, or AND
- provision of an in-house briefing for school staff at least twice per calendar year in accordance with Ministerial Order 706, with one briefing at the commencement of the school year.

The policy is publicly available and published on the college's website.

14. Definitions

Definitions of standard terms used in this Policy can be found in the Glossary of Terms.

Anaphylaxis

Anaphylaxis is a severe, rapidly progressive allergic reaction that is potentially life threatening. The most common allergens in school aged children are peanuts, eggs, tree nuts (e.g., cashews), cow's milk, fish and shellfish, wheat, soy, sesame, lupin and certain insect stings (particularly bee stings).

Anaphylaxis Guidelines (Guidelines)

A resource for managing severe allergies in Victorian schools, published by the Department of Education (DE) for use by all schools in Victoria and updated from time to time.

Australasian Society of Clinical Immunology and Allergy (ASCIA)

The peak professional body of clinical immunology and allergy in Australia and New Zealand.

Autoinjector

An adrenaline autoinjector device, approved for use by the Australian Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis).

Ministerial Order 706

Ministerial Order 706: Anaphylaxis Management in Victorian Schools which outlines legislated requirements for schools and key inclusions for their Anaphylaxis Management Policy.

15. Related policies and documents

Supporting documents

Individual Anaphylaxis Management Plan – Template for MACS Schools Anaphylaxis Risk Minimisation Strategies for Schools – Template for MACS Schools Emergency Response to Anaphylactic Reaction – Sample – Template for MACS Schools Anaphylaxis Management Checklist for Off-site Activities – Template for MACS Schools Annual Anaphylaxis Risk Management Checklist – Template for MACS Schools

Related MACS policies

Anaphylaxis Policy for MACS schools Duty of Care Policy for MACS schools Emergency Management Plan First Aid Policy

Resources

16. Legislation and standards

Department of Education Victoria Anaphylaxis Guidelines

Department of Education Victoria Anaphylaxis Management Briefing presentation Department of Education Victoria Facilitator guide for anaphylaxis management briefing ASCIA Action Plans and First Aid Plans for Anaphylaxis or Allergies ASCIA Action Plans for Anaphylaxis (General, Anapen, Epipen) ASCIA First Aid Plan for Anaphylaxis (General, Anapen, Epipen, Pictorial) ASCIA Travel Plan ASCIA Anaphylaxis e-training for Victorian schools ASCIA Adrenaline (Epinephrine) Injectors for General Use

Policy information table

| Approving authority | Director, Education Excellence |
|---------------------|-----------------------------------|
| Approval date | 22 April 2025 |
| Review by | April 2029 |
| Publication | CEVN, internal school publication |